SunAWARE™ Grades 6-8 Post-Test

Name:	Grade/	Section:	Date			
Circle letter(s) in front of correct answer(s).						
1. Which factor does not A. temperature	directly impact UV intensity? B. altitude		D. reflective surfaces			
2. Sunburns, tanning, and skin cancer are attributed toradiation exposure.A. UVA.B. UVBC. UVCD. UVA and UVB						
3. What blocks 90% of th A. clouds	e UVB rays from reaching the B. pollution		er D. Chlorofluorocarbons			
 What months are you at greatest risk for sunburn in the Northern Hemisphere? A. May /June/July B. June/July/August C. July/August/Sept D. Sept/Oct./Nov 						
5. Which one of the follow A. eyes	ving does not contain melano B. gastrointestinal tract		cing cells)? D. teeth			
6. What is the most comm A. foot	on place to develop freckles? B. scalp	C. nose	D. neck			
7. Moles develop most co A. sporadic	mmonly at sites of B. cumulative	_	e. D. none of the above			
 Atypical moles can have what features? A. Larger than eraser head (6mm) B. Fuzzy border C. Variable color D. All of the above 						
9. Melanoma can develop inwhich skin types? A. Type 1 B. Type 2 C. Type 3 D. Type 4 E. all skin types						
-	vhich problems in the eye? B. cataracts	C. melanoma	D. photokeratitis			
11. Sun Protection Factor (SPF) denotes A. sunburn protection B. tanning prevention C. exposure time D. water resistance						
12. A sunscreen with an S A. 30 %	PF of 30 protects against app B. 70%	roximately C. 97%	of the sun's UVB rays. D. 50%			
13 is effective in A. Snow	filtering out the sun's harmf B. Cloud cover	ul rays. C. Water	D. Tightly woven clothing			
14. The proper dose of sunscreen to cover the entire adult body while wearing a bathing suit is						
ounces (oz.). A. 1/4 oz.	B. 2 oz.	C. 1 oz.	D. ½ oz.			

15. How frequently	should you re-apply a	a SPF 15 sunscreen v	while exposed t	o the sun?		
A. every 6 hours	B. every 2 ho	ours	C. every 1 ho	our D. not at all		
		0				
	cer is the most deadly					
A. basal cell	B. squamous	cell C. m	elanoma	D. none of the above		
17. Which characteristics are associated with nonmelanoma skin cancer?						
A. persistent	B. recurrent	C. easily irritated	D. enlarging	E. all of the above		
18. The most common location for melanoma to develop in men is on the						
A. scalp	B. foot	C. lo	wer leg	D. back		
19. The most common location for nonmelanoma skin cancer to develop is on the						
A. face	B. foot		wer leg			
20. The SunAWARE [™] acronym for skin cancer prevention denotes A. A void unprotected UV exposure B. W ear sun protection clothing C. A pply sunscreen						
		E. Educate Others	0			

Correct answers:____/20



SunAWARE™ Post-Test, Grades 6-8

Answer Key:

- 1. A. temperature
- 2. D. UVA and UVB
- 3. C. ozone layer
- 4. A. May/June/July
- 5. D. teeth
- 6. C. nose
- 7. A. sporadic
- 8. D. all of the above
- 9. E. all skin types
- 10. A. astigmatism
- 11. A. sunburn protection
- 12. C. 97%
- 13. D. tightly woven clothing
- 14. C. 1 oz.
- 15. B. 2 hours
- 16. C. melanoma
- 17. E. all of the above
- 18. D. back
- 19. A. face
- 20. F. all of the above